Regulation EC Nr. 1907/2006 Art.31

**Product name:** Micro-Tec oil based diamond polishing paste **Document Nr.:** SDS00129001599 
 Date:
 October 5<sup>th</sup>, 2022

 Version:
 4.0
 Page 1 of 12

# Section 1: Identification of the substance or mixture and the company

# 1.1. Product Identifier

29-001579	Micro-Tec DP0.5 oil based diamond polishing paste 0.5µm
29-001580	Micro-Tec DP0.5 oil based diamond polishing paste $1\mu m$
29-001581	Micro-Tec DP0.5 oil based diamond polishing paste 1.5µm
29-001582	Micro-Tec DP0.5 oil based diamond polishing paste 2.5µm
29-001583	Micro-Tec DP0.5 oil based diamond polishing paste 3.5µm
29-001585	Micro-Tec DP0.5 oil based diamond polishing paste 5µm
29-001587	Micro-Tec DP0.5 oil based diamond polishing paste $7\mu m$
29-001590	Micro-Tec DP0.5 oil based diamond polishing paste 10µm
29-001591	Micro-Tec DP0.5 oil based diamond polishing paste $14 \mu m$
29-001592	Micro-Tec DP0.5 oil based diamond polishing paste 20µm
29-001593	Micro-Tec DP0.5 oil based diamond polishing paste 28µm
29-001594	Micro-Tec DP0.5 oil based diamond polishing paste 40µm
29-001599	Micro-Tec DP0.5 oil based diamond polishing paste set/12 0.5 to $40 \mu m$

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Polishing and cleaning hard materials to a mirror finish Polishing of metallographic and petrographic samples and cross sections Abrasive material The substances are not subject to registration according to REACH

### 1.3. Details of the supplier of the Safety Data Sheet

Vof Micro to Nano Tappersweg 91 2031ET Haarlem Netherlands Tel: +31(0)85-2013155 E: info@microtonano.com

#### **1.4 Emergency telephone number**

112 (NLD) or your national emergency telephone number for chemical spills, leaks, fires, exposures or accidents

(Cont. on page 2)



Tappersweg 91 2031ET Haarlem The Netherlands

- E info@microtonano.com
- I www.microtonano.com

**Product name:** Micro-Tec oil based diamond polishing paste **Document Nr.:** SDS00129001599

## Regulation EC Nr. 1907/2006 Art.31

 Date:
 October 5<sup>th</sup>, 2022

 Version:
 4.0
 Page 2 of 12

(Cont. of page 1)

# Section 2: Hazards identification

## 2.1. Classification of the substance or mixture according to Regulation EC Nr. 1272/2008

Physical: Health:	Not classified. Low flammability May be fatal if swallowed and enters airways, cat.1, H304 Causes mild skin irritation, cat. 2, H315
Environment:	Causes eye irritation, cat. 2B, H320 Not classified
Other hazards:	Not classified

### 2.2 Labeling elements accordance to Regulation EC Nr. 1272/2008

Hazard pictogramm(s):			
	GHS07 GHS08		
Signal word:	Danger		
Hazard statement(s):	H304: May be fatal if swallowed an	id enters airways	
	H315: Causes mild skin irritation		
	H320: Causes eye irritation		
Precautionary statement(s	-		
Prevention:	P102: Keep out of reach of childrer		
Р	201+P202: Obtain special instructions b		
	precautions have read and underst		
	P264: Wash hands thoroughly after		
	P270: Do not eat, drink or smoke w	0	
	P273: Avoid release to the environment		
		ective clothing/eye protection/face	
	protection		
Response:			
	P308+P313: If exposed or concerned: Ge		
	P304+P315: If inhaled: Get immediate medical advice/attention		
	P302+P352: If on skin: Wash with plenty of water and soap.		
P305+F	· · ·	ith water for several minutes. Remove d easy to do. Continue rinsing.	
	P391: Collect spillage		
Storage:	P405: Store locked up	(Cont. on page 3)	
Micro to	Nano		



Tappersweg 91 2031ET Haarlem The Netherlands T +31-85-2013155

E info@microtonano.com

I www.microtonano.com

Regulation EC Nr. 1907/2006 Art.31

Product name: Micro-Tec oil based diamond polishing paste Document Nr.: SDS00129001599

October 5<sup>th</sup>, 2022 Date: Version: 4.0 Page **3** of **12** 

#### Disposal:

(Cont. of page 2) P501: Dispose of contents/container in accordance to local/regional/ international regulations none

Supplemental hazard info:

#### 2.3 Other hazards

#### **Results of PBT and vPvB assessment**

According to the results of its assessment, the substance is not a PBT or a vPvB

# Section 3: Composition / information on components

### 3.1. Substances

Not applicable

### 3.2 Mixtures

Component	CAS Nr.	WT%
Distillates (Petroleum), hydrotreated heavy	64742-52-5	10-50
Vegetable oil	68956-68-3	10-35
Polypropylene glycol monobutyl ether	9003-13-8	10-30
Diamond powder	7782-40-3	1-5
Proprietary ingredients	NA	5-15

# Section 4: First aid measures

#### 4.1. Description of first aid measures

General information:	The usual precautions for handling chemical substances should be observed. If symptoms should occur, seek medical advice. Immediately remove any clothing soiled by the product	
Contact with eyes:	Rinse cautiously with water for several minutes. If possible, remove contact lenses. Continue rinsing.	
Contact with skin:	Wash with water and soap. Seek medical attention if irritation persists.	
Inhalation:	Fresh air, keep warm and at rest. Seek medical attention of ill effects occur	
Ingestion:	If swallowed, do not induce vomiting Seek immediate medical advice	(Cont. on page 4

4) (Cont. of page 3)



Micro to Nano

Innovative Microscopy Supplies

Tappersweg 91 2031ET Haarlem The Netherlands

- E info@microtonano.com
- I www.microtonano.com

Regulation EC Nr. 1907/2006 Art.31

**Product name:** Micro-Tec oil based diamond polishing paste **Document Nr.:** SDS00129001599

# Date: October 5<sup>th</sup>, 2022 Version: 4.0 Page 4 of 12

### 4.2. Important symptoms and effects, either immediate or delayed

Inhalation:	May cause damage to the lungs; chemical pneumonitis
	Symptoms: cough, sore throat, asthma
Ingestion:	May cause digestive tract irritation
	Symptoms: sore throat, abdominal pain, nausea, vomiting
Skin contact:	Mildly irritating to skin
	Symptoms: redness and pain
Eye contact:	Irritating to eyes
	Symptoms: redness and pain, impaired vision

### 4.3. Indication of any immediate medical attention and special treatment

General advise:If you feel unwell, seek medical advice; show product label if possible<br/>If symptoms persist, always call a doctor

# Section 5: Firefighting Measures

#### 5.1. Extinguishing media

Use dry chemical, CO2, chemical foam or water spray. Do not use water jet.

#### 5.2 Special hazards arising from the substance or mixture

Not flammable or combustible but will burn if involved in a fire. Produces carbon oxides (CO, CO2), irritating smoke

#### 5.3 Advice to firefighters

Fight fire from a safe distance, with adequate cover Do not allow firefighting water to enter drains or water courses In case of fire, do not breathe fumes Wear self-contained breathing apparatus for fire fighting

> (Cont. on page 5) (Cont. of page 4)



Tappersweg 91 2031ET Haarlem The Netherlands

- E info@microtonano.com
- I www.microtonano.com

**Product name:** Micro-Tec oil based diamond polishing paste **Document Nr.:** SDS00129001599

#### Regulation EC Nr. 1907/2006 Art.31

 Date:
 October 5<sup>th</sup>, 2022

 Version:
 4.0
 Page 5 of 12

# Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation Wear suitable protective clothing including eye/face protection Avoid contact with skin, eys and clothes. Do not breath dust.

#### 6.2 Environmental precautions

Avoid release to the environment Do not allow to enter public sewers and waterways

#### 6.3 Methods and material for containment and clean up

Clean up spills immediately Collect spillage and wipe residue with a paper towel wetted with alcohol. Collect spillage and dirty towels in a sealable waste container Wash spill area with soap and water to remove last traces of residue

#### 6.4 Reference to other sections

For further information see section 8

# Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Avoid breathing dust/mist Ensure adequate ventilation Avoid contact with skin and eyes Wash thoroughly after use Wear protective gloves/protective clothing/eye protection

#### 7.2 Conditions for safe storage, including any incompatibilities

Store locked up in a cool dry place Keep out of reach of children

u-n Micro to Nano

Tappersweg 91 2031ET Haarlem The Netherlands T +31-85-2013155

- E info@microtonano.com
- I www.microtonano.com

(Cont. on page 6)

**Product name:** Micro-Tec oil based diamond polishing paste **Document Nr.:** SDS00129001599

### Regulation EC Nr. 1907/2006 Art.31

 Date:
 October 5<sup>th</sup>, 2022

 Version:
 4.0
 Page 6 of 12

(Cont. of page 5)

## 7.3 Specific end uses(s)

No information available

# Section 8: Exposure control and personal protection

# 8.1. Control parameters

### **Exposure limits**

### **Occupational exposure limits (OEL)**

Ingredient	TWA	STEL
Distillates (Petroleum), hydrotreated heavy	200mg/m3	Not available
Vegetable oil	Not available	Not available
Polypropylene glycol monobutyl ether	Not available	Not available
Diamond powder	3mg/m3	Not available
Micro-Tec oil based diamond polishing paste	Not available	Not available

### 8.2 Exposure controls

Control procedures:	Ensure adequate ventilation
Personal protection:	Take precautions to avoid contact with eyes and skin when handling the products
Inhalation:	In case of insufficient ventilation, wear suitable respiratory equipment
Hands and skin:	Wear suitable gloves against chemicals; recommended gloves:
	Nitrile
Eyes:	Wear safety goggles or full-face protection
Environment:	Keep away from drains, surface and ground water.

# Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Appearance/physical state:	Opaque paste of varying colours due to diamond powder size		
Colour:	Varying		
Odour:	Mild		
рН	Not available		
Boiling point/range:	≥100°C		
Flash point:	≥95°C (closed cup)		
Evaporation rate:	Not available	(Cont. on page 7)	



# Micro to Nano

Innovative Microscopy Supplies

Tappersweg 91 2031ET Haarlem The Netherlands

- T +31-85-2013155
- E info@microtonano.com
- I www.microtonano.com

Regulation EC Nr. 1907/2006 Art.31

**Product name:** Micro-Tec oil based diamond polishing paste **Document Nr.:** SDS00129001599

lower limit:

Explosion limits: upper limit:

Vapour pressure: Specific gravity:

Solubility in water:

Auto-ignition: Viscosity: 
 Date:
 October 5<sup>th</sup>, 2022

 Version:
 4.0
 Page 7 of 12

(Cont. of page 6)

### 9.2 Other information

VOC:

Not relevant

Not available

Not available 1mm @ 1810°C

Not available

Insoluble 215°C

0.95 g/cm3 @ 20°C

# Section 10: Stability and reactivity

#### 10.1. Reactivity

Not reactive under recommend or normal conditions of handling, processing and use

#### **10.2 Chemical stability**

Stable at normal temperatures and pressures

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purposes

### 10.4 Conditions to avoid

No data available

#### **10.5 Incompatible materials**

No data

#### 10.6 Hazardous decomposition products

Carbon oxides (CO, CO2), irritating smoke and toxic fumes



Tappersweg 91 2031ET Haarlem The Netherlands T +31-85-2013155

E info@microtonano.com

I www.microtonano.com

(Cont. on page 8)

Regulation EC Nr. 1907/2006 Art.31

**Product name:** Micro-Tec oil based diamond polishing paste **Document Nr.:** SDS00129001599

 Date:
 October 5<sup>th</sup>, 2022

 Version:
 4.0
 Page 8 of 12

(Cont. of page 7)

# Section 11: Toxicological information

## 11.1. Information on toxicological effects

### Information on likely routes of exposure:

Inhalation:	May be fatal if swallowed and enters airways		
Ingestion:	May cause irrit	ation	
Skin contact:	May cause mild skin irritation, redness or rash		
Eye contact:	May cause redness, mild eye irritation		
CMR effects:	Carcinogenicity classification criteria not met based on available data		
	Germ cell mutagenicity classification criteria not met based on available data		
	Reproductive toxicity classification not met based on available data.		
STOT-single ex	posure:	not classified	
STOT- repeated	d exposure:	not classified	
Aspiration haz	ard:	classification criteria not met based on available data	

### **Toxicological data:**

No information available

#### Symptoms related to physical, chemical and toxicological characteristics

If swallowed:	vomiting, nausea, gastrointestinal complaints
If in eyes:	Redness, mild eye irritation
If inhaled:	Data are not available
If on skin:	Redness or rash, mild skin irritation

### 11.2. Endocrine disrupting properties

Not listed

### 11.3. Toxicity

There is no additional information

# Section 12: Ecological information

# 12.1. Toxicity

No information available



Tappersweg 91 2031ET Haarlem The Netherlands (Cont. on page 9)

T +31-85-2013155

E info@microtonano.com

I www.microtonano.com

Regulation EC Nr. 1907/2006 Art.31

**Product name:** Micro-Tec oil based diamond polishing paste **Document Nr.:** SDS00129001599

 Date:
 October 5<sup>th</sup>, 2022

 Version:
 4.0
 Page 9 of 12

(Cont. of page 8)

### **12.2** Persistence and degradability

No information available

#### 12.3 Bio-accumulative potential

No information available

#### 12.4 Mobility in soil

No information available

#### 12.5 Results of PBT and vPvB assessment

No information available

### 12.6 Endocrine disrupting properties

Not listed

### 12.7 Other adverse effects

No experimental data available

# Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Product:This material and its container must be disposed of in a safe way.<br/>Do not discharge into drains or the environment, dispose to an authorised waste<br/>collection point.National regulations:Disposal should be in accordance with local, state or national legislation.

# Section 14: Transport information

### 14.1. UN number

**UN-number:** 

Not applicable



Tappersweg 91 2031ET Haarlem The Netherlands (Cont. on page 10)

T +31-85-2013155

E info@microtonano.com

I www.microtonano.com

Regulation EC Nr. 1907/2006 Art.31

**Product name:** Micro-Tec oil based diamond polishing paste **Document Nr.:** SDS00129001599

 Date:
 October 5<sup>th</sup>, 2022

 Version:
 4.0
 Page 10 of 12

(Cont. of page 11)

### 14.2 UN proper shipping name

Proper shipping name: Not applicable

14.3 Transport hazard class(es)

Class:	Not applicable
ADR/RID-Classification code:	Not applicable

#### 14.4 Packing group

Packing:

Not applicable

#### 14.5 Incompatible materials

ADR/RID- Environmentally hazardous: Not applicable IMDG-Marine pollutant: Not applicable IATA/ICAO-Environmentally hazardous:Not applicable

#### 14.6 Special precautions for user

Not applicable

### 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC code

Not applicable

# Section 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

#### 15.2 Chemical safety assessment

All substances are listed

Micro to Nano

Tappersweg 91 2031ET Haarlem The Netherlands (Cont. on page 11)

- E info@microtonano.com
- I www.microtonano.com

**Product name:** Micro-Tec oil based diamond polishing paste **Document Nr.:** SDS00129001599

## Regulation EC Nr. 1907/2006 Art.31

 Date:
 October 5<sup>th</sup>, 2022

 Version:
 4.0
 Page 11 of 12

(Cont. of page 10)

# Section 16: Other information

#### **RoHS Directive Compliant**

This product is fully compliant with the directive 2100/65/EU Annex II (RoHS). It does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's or PBDE's.

#### WEEE

This product is not a piece of electrical or electronic equipment, and it therefore not governed by Directive 2002/96/EC on waste electrical and electronic equipment (WEEE)

#### Abbreviations:

Asp. Tox	Aspiration hazard
Carc.	Carcinogenicity
Exp.	Exposure
Flam.	Flammable
GHS	Global Harmonised System of Classification of Labelling Chemicals
Irrit.	Irritant
LC50	Lethal Concentration 50%
LCLo	Lowest published lethal concentration
LD50	Lethal Dose 50%
N/A	Not applicable
N/E	Not estimated
PBT	Persistent Bio-accumulative and Toxic
WEL	Workplace Exposure Limit
Repr.	Reproductive toxicant
RoHS	Restriction of Hazardous Substance
SEM	Scanning Electron Microscope
STEL	Short-Term Exposure Limit
STOT	Specific Target Organ Toxicity
TCLo	Lowest published toxic concentration
vPvB	very Persistent and very Bio-accumulative
WEEE	Waste Electrical and Electronic Equipment

#### DSD / DPD label elements





Tappersweg 91 2031ET Haarlem The Netherlands (Cont. on page 12)

- E info@microtonano.com
- I www.microtonano.com

Regulation EC Nr. 1907/2006 Art.31

**Product name:** Micro-Tec oil based diamond polishing paste **Document Nr.:** SDS00129001599 
 Date:
 October 5<sup>th</sup>, 2022

 Version:
 4.0
 Page 12 of 12

(Cont. of page 11)

### Full Text Risk and Hazard codes

H304: May be fatal if swallowed and enters airways H315: Causes mild skin irritation H320: Causes eye irritation

This product should be stored, handled and used in accordance with good industrial hygiene practices and in accordance with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe the product from the point of view of safety requirements. It does not guarantee any specific properties.

It is the responsibility of the user to query and verify any information seeming suspect or where doubt on the validity may exist. The buyer assumes all responsibility of using and handling the product in accordance with local, state, federal and international regulations.

End of document



Tappersweg 91 2031ET Haarlem The Netherlands

- E info@microtonano.com
- I www.microtonano.com