

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2022
4.0	08.11.2022	SD00164001015-04	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	Krytox™ GPL 205
SDS-Identcode	:	13000024223
1.2 Relevant identified uses of t	he s	substance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Lubricant
Recommended restrictions on use	:	For industrial use only. Do not use or resell Chemours [™] materials in medical applica- tions involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.
1.3 Details of the supplier of the	e sa	fety data sheet
Company	:	Micro to Nano Tappersweg 91 2015 CH Haarlem The Netherlands
Telephone	:	+31 (0)85 2013155

E-mail address : info@microtonano.com

1.4 Emergency telephone number

+(31)-858880596 (CHEMTREC - Recommended)

+31(0)887558000 (NVIC) Emergency Number for professional users only

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2022
4.0	08.11.2022	SD00164001015-04	

Not a hazardous substance or mixture.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

The thermal decomposition vapours of fluorinated plastics may cause polymer fume fever with flu-like symptoms in humans, especially when smoking contaminated tobacco.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components	
Remarks	: No hazardous ingredients

SECTION 4: First aid measures

4.1 Description of first aid meas	ures	
Protection of first-aiders	: No special precautions are necessary for first aid responders.	
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.	
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.	
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.	
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.	
4.2 Most important symptoms a	nd effects, both acute and delayed	
Symptoms	 Inhalation may provoke the following symptoms: Irritation Lung oedema Eye contact may provoke the following symptoms Blurred vision Discomfort Lachrymation Skin contact may provoke the following symptoms: Irritation Redness 	



Krytox™ GPL 205

Version 4.0	Revision Date: 08.11.2022		DS Number: Date of last issue: 22.10.2022 000164001015-04
			Inhalation may provoke the following symptoms: Irritation Shortness of breath
4.3 Indi	ication of any immediate	mec	lical attention and special treatment needed
	eatment	:	Treat symptomatically and supportively.
SECTI	ON 5: Firefighting mea	sur	es
5.1 Ext	inguishing media		
	itable extinguishing media	:	Not applicable Will not burn
	suitable extinguishing edia	:	Not applicable Will not burn
5.2 Spe	ecial hazards arising from	the	substance or mixture
•	ecific hazards during fire- hting	:	Exposure to combustion products may be a hazard to health.
Ha uc	izardous combustion prod- ts	:	Hydrogen fluoride carbonyl fluoride potentially toxic fluorinated compounds aerosolized particulates Carbon oxides
5.3 Adv	vice for firefighters		
	ecial protective equipment firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary. Use personal protective equipment.
Sp od	ecific extinguishing meth- s	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
SECTI	ON 6: Accidental release	se n	neasures
6 1 Dor	conclusions, proto	41.7	a quinment and emergency proceedures
	ersonal precautions		e equipment and emergency procedures Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
6.2 Env	vironmental precautions		
	vironmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.
			3/12



Krytox™ GPL 205

Version 4.0	Revision Date: 08.11.2022	SDS Number: SD00164001015-04	Date of last issue: 22.10.2022
		Local authorities cannot be contair	should be advised if significant spillages ned.
6.3 Method	ds and material for co	ntainment and cleani	ng up
Metho	ds for cleaning up	For large spills, p ment to keep man be pumped, store Clean up remaini bent. Local or national posal of this mate employed in the o mine which regul Sections 13 and	t absorbent material. rovide dyking or other appropriate contain- terial from spreading. If dyked material can a recovered material in appropriate container. ng materials from spill with suitable absor- regulations may apply to releases and dis- erial, as well as those materials and items cleanup of releases. You will need to deter- ations are applicable. 15 of this SDS provide information regarding ational requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not breathe decomposition products.
		Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami- nated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep in properly labelled containers. Store in accordance with the particular national regulations.
Advice on common storage	:	No special restrictions on storage with other products.
Further information on stor- age stability	:	No decomposition if stored and applied as directed.



Krytox[™] GPL 205

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2022
4.0	08.11.2022	SD00164001015-04	

7.3 Specific end use(s)

Specific use(s)

: No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
hydrofluoric acid	7664-39-3	TWA	1.8 ppm 1.5 mg/m3 (Fluorine)	2000/39/EC		
		STEL	3 ppm 2.5 mg/m3 (Fluorine)	2000/39/EC		
		TWA	1.8 ppm 1.5 mg/m3	2000/39/EC		
	Further inform	mation: Indicative				
		STEL	3 ppm 2.5 mg/m3	2000/39/EC		
	Further inform	mation: Indicative				
Carbonyl difluoride	353-50-4	TWA	2.5 mg/m3 (Fluorine)	2000/39/EC		
	Further information: Indicative					
Carbon dioxide	124-38-9	TWA	5,000 ppm 9,150 mg/m3	2006/15/EC		
		STEL	15,000 ppm 27,400 mg/m3	2006/15/EC		
		TWA	5,000 ppm 9,000 mg/m3	2006/15/EC		
	Further information: Indicative					
Carbon monoxide	630-08-0	TWA	30 ppm 35 mg/m3	2017/164/EU		
		STEL	200 ppm 232 mg/m3	2017/164/EU		
		TWA	20 ppm 23 mg/m3	2017/164/EU		
		STEL	100 ppm 117 mg/m3	2017/164/EU		
		STEL	100 ppm 117 mg/m3	2017/164/EU		
	Further information: Indicative					
		TWA	20 ppm 23 mg/m3	2017/164/EU		
	Further inform	mation: Indicative				



Krytox[™] GPL 205

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2022
4.0	08.11.2022	SD00164001015-04	

8.2 Exposure controls

Engineering measures

Processing may form hazardous compounds (see section 10). Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment	ent	
Eye/face protection	:	Wear the following personal protective equipment: Safety glasses Equipment should conform to BS EN 166
Hand protection		
Remarks	:	Wash hands before breaks and at the end of workday.
Skin and body protection	:	Skin should be washed after contact.
Respiratory protection	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to BS EN 14387
Filter type	:	Combined particulates, acidic gas/vapour and organic vapour type (AE-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	Grease
Colour	:	white
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	7
Melting point/freezing point	:	320 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Method: Pensky-Martens closed cup Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Will not burn
Upper explosion limit / Upper	:	No data available



Krytox™ GPL 205

Versio 4.0	on	Revision Date: 08.11.2022		S Number: 00164001015-04	Date of last issue: 22.10.2022
f	flamma	ability limit			
		explosion limit / Lower ability limit	:	No data available	9
١	Vapou	rpressure	:	Not applicable	
F	Relativ	e vapour density	:	Not applicable	
F	Relativ	e density	:	1.89 - 1.93 (24 °C	C)
S	Solubil Wat	ity(ies) ter solubility	:	insoluble	
	Partitio octano	n coefficient: n- I/water	:	Not applicable	
A	Auto-ig	nition temperature	:	No data available	9
Γ	Decom	position temperature	:	300 °C	
١	Viscosi Visc	ity cosity, kinematic	:	Not applicable	
E	Explos	ive properties	:	Not explosive	
C	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	other ir Particle	nformation e size	:	No data available	9

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous rea	actio	ons
Hazardous reactions	:	Hazardous decomposition products will be formed at elevated temperatures.
10.4 Conditions to avoid		
Conditions to avoid	:	None known.
10.5 Incompatible materials		

Materials to avoid : None.

10.6 Hazardous decomposition products



Krytox™ GPL 205

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2022
4.0	08.11.2022	SD00164001015-04	
Therm	al decomposition	: hydrofluoric acid Carbonyl difluori Carbon dioxide Carbon monoxid	de

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of	:	Skin contact
exposure		Ingestion
		Eye contact

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

No data available

Krytox[™] GPL 205

Version 4.0	Revision Date: 08.11.2022		DS Number: D00164001015-04	Date of last issue: 22.10.2022
	stence and degradabi ta available	ility		
	ccumulative potential ta available			
12.4 Mobi l No da	l ity in soil ta available			
12.5 Resu	Its of PBT and vPvB a	isse	ssment	
<u>Produ</u>	<u>uct:</u>			
Asses	sment	:	to be either persis	ixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of
12.6 Endo	crine disrupting prop	ertie	es	
<u>Produ</u>	<u>ict:</u>			
Asses	sment	:	ered to have ende REACH Article 57	ixture does not contain components consid- ocrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.
12.7 Other	adverse effects			
No da	ta available			

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good



Version 4.0	Revision Date: 08.11.2022	SDS Number: Date of last issue: 22.10.2022 SD00164001015-04
RID		: Not regulated as a dangerous good
IMDG	-	: Not regulated as a dangerous good
ΙΑΤΑ		: Not regulated as a dangerous good
14.2 UN p	roper shipping name	
ADN		: Not regulated as a dangerous good
ADR		: Not regulated as a dangerous good
RID		: Not regulated as a dangerous good
IMDG	6	: Not regulated as a dangerous good
ΙΑΤΑ		: Not regulated as a dangerous good
14.3 Trans	sport hazard class(es	
ADN		: Not regulated as a dangerous good
ADR		: Not regulated as a dangerous good
RID		: Not regulated as a dangerous good
IMDG	6	: Not regulated as a dangerous good
ΙΑΤΑ		: Not regulated as a dangerous good
14.4 Pack	ing group	
ADN		: Not regulated as a dangerous good
ADR		: Not regulated as a dangerous good
RID		: Not regulated as a dangerous good
IMDG	à	: Not regulated as a dangerous good
ΙΑΤΑ	(Cargo)	: Not regulated as a dangerous good
	(Passenger)	: Not regulated as a dangerous good
	ronmental hazards	
-	egulated as a dangerou	s good
14.6 Spec	ial precautions for us	er
Not a	pplicable	
14.7 Trans	sport in bulk accordir	g to Annex II of Marpol and the IBC Code
Rema	arks	: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

EU REACH List of restrictions (Annex 17) EU REACH Candidate list of substances of very high	:	Not applicable
EU REACH Candidate list of substances of very high	:	Not applicable



Krytox[™] GPL 205

Version 4.0	Revision Date: 08.11.2022	SDS Number: SD00164001015-04	Date o	f last issue: 22.10.2022				
concern (SVHC) for Authorisation								
	ersistent Organic Pollut ation (EU) 2019/1021	tants Regulations (retai	ned :	Not applicable				
•	ation (EC) No 1005/200 he ozone layer	09 on substances that o	de- :	Not applicable				
REAC (Anne)	H List of substances su x XIV)	ubject to authorisation	:	Not applicable				

Regulation (EC) No 649/2012 On Import/Export of Dangerous Goods: Not applicable

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information :	Krytox [™] and any associated logos are trademarks or copy- rights of The Chemours Company FC, LLC. Chemours [™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information. For further information contact the local Chemours office or nominated distributors. Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.				
Full text of other abbreviations					
2000/39/EC :	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values				
2006/15/EC :	Europe. Indicative occupational exposure limit values				
2017/164/EU :	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values				
2000/39/EC / TWA	Limit Volue eight hours				
2000/39/EC / TWA	Limit Value - eight hours Short term exposure limit				
2006/15/EC / TWA	Limit Value - eight hours				
2017/164/EU / STEL :					
2017/164/EU / TWA :	Limit Value - eight hours				
•					

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by



Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2022
4.0	08.11.2022	SD00164001015-04	

Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to : Internal t compile the Safety Data eChem F Sheet cy, http://

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.